
Subject: One problem, To the next

Posted by [wubwub](#) on Mon, 22 Jun 2009 20:26:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well no longer a boneing vehicle problem so much as a skinning vehicle problem

Well i have spent the last 4-1/2 hours trying to skin this pos.. First i unwrapped UVW's and i made a skin for them (first hour) then i put it on the car only to find its all screwed up around the seams...

So i ditched the skin and spent the last prevoius hours trying to fix this problem, i look up UVW tutorials on google renhelp etc

Now is the time to ask for help i suppose..

How do i fix this:


grrrrr

Here is the skin i am useing:

(Ignore the black filled right bottem corner)

File Attachments

1) [grrrrr.jpg](#), downloaded 474 times



Rot. +90

Rot. -90

Options...



0 / 100

5 10 15 20 25 30 35 40 45 50 55 60 65 70

1 Object Selected



X: -0.218

Y: -0.098

Z: 0.0


Grid

Initial Clust

Select faces

Add

2) [Skin.jpg](#), downloaded 462 times



Subject: Re: One problem, To the next

Posted by [Di3HardNL](#) on Mon, 22 Jun 2009 20:36:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have an easy solution for that.

If you use photoshop you should select the skin you have. Then go to 'Filter' -> Other -> Minimum...

Radius 2 would do the job

File Attachments

1) [Screenshot.PNG](#), downloaded 220 times

