

---

Subject: problem with hud.ini

Posted by [YazooGang](#) on Tue, 09 Dec 2008 03:10:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

i learned alot of stuff so far with the hud.ini by reading the bhs.ini

so, i also get somestuff from the hud.ini that i downloaded from renhelp.net  
(<http://www.renhelp.net/downloads/HUD%201280x1024.zip>)

i got a problem here:

[Texture0]

TextureName=weapon\_hud1.tga

QuadCount=1

Quad0Color=9

Quad0XPos=1075

Quad0YPos=777

Quad0Top=50

Quad0Left=60

Quad0Bottom=600

Quad0Right=500

i want to put an image on the right bottom but it wont show up, i only changed the TextureName, Quad0XPos, Quad0YPos.

i didnt understand anyother parts, can someone help please?

---

---

Subject: Re: problem with hud.ini

Posted by [YazooGang](#) on Fri, 12 Dec 2008 01:58:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

please help, i'm really stuck

---

---

Subject: Re: problem with hud.ini

Posted by [pe21789](#) on Fri, 12 Dec 2008 06:57:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

u edited the alpha level?

And u should save the texture in .dds (DXT5)

I tried myself with .tga but there is a lot of problems with the alpha level.

---

---

Subject: Re: problem with hud.ini

Posted by [DL60](#) on Fri, 12 Dec 2008 07:26:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quad0XPos= means the X Position on screen (left right)

Quad0YPos= means the Y Position on your screen (up down)

IMPORTANT for this both: The X=0 Y=0 point is in the upper left corner of your screen. You can also use NEGATIVE values here. If you use e.g. -500 -500 you have the right lower corners as 0,0 Point. This allows you to make your HUD nearly independent from screen resolution.

This defines the area on your texture which you want to display (right a coordinate system in your texture):

Quad0Top=

Quad0Left=

Quad0Bottom=

Quad0Right=

For example: You have a nice box for your radar in the left upper corner in your 512x512 texture but 10 pixel from the left and top border and this box is 100x100 pixel large you have to fill in:

Quad0Top=10

Quad0Left=10

Quad0Bottom=109

Quad0Right=109

Take a look at this picture:


-this is what the QuadXTop, left and so on do:

Edit: Hmm I should copy this part in my HUD tutorial...

## File Attachments

1) [tutorialtex.jpg](#), downloaded 766 times

---



---

Subject: Re: problem with hud.ini  
Posted by [MGamer](#) on Fri, 12 Dec 2008 07:37:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

DeathLink6.0 wrote on Fri, 12 December 2008 01:26  
Quad0XPos= means the X Position on your screen (left right)  
Quad0YPos= means the Y Position on your screen (up down)

IMPORTANT for this both: The X=0 Y=0 point is in the upper left corner of your screen. You can also use NEGATIVE values here. If you use e.g. -500 -500 you have the right lower corners as 0,0 Point. This allows you to make your HUD nearly independent from screen resolution.

This defines the area on your texture which you want to display (right a coordinate system in your texture):  
Quad0Top=  
Quad0Left=  
Quad0Bottom=  
Quad0Right=

For example: You have a nice box for you radar in the left upper corner in your 512x512 texture but 10 pixel from the left and top border and this box is 100x100 pixel large you have to fill in:

Quad0Top=10

Quad0Left=10

Quad0Bottom=109

Quad0Right=109

Take a look at this picture:

-this it what the QuadXTop,left and so on do:

Edit: Hmm I should copy this part in my HUD tutorial...

you have a hud tutorial?

---

Subject: Re: problem with hud.ini

Posted by [DL60](#) on Fri, 12 Dec 2008 08:40:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No I have no tutorial but I want to create one. This was my first step ^^

You still have to use bhs.txt for getting information about making HUDs with shader.dll/hud.ini:

Quote:

### General

There is new code that lets you change the color used for the teams (i.e. red for nod and yellow for gdi)

You can also change the public and private message colors.

Note that the hud.ini file is parsed on the server too (for the colored message send commands and the get color engine calls).

This requires bhs.dll on the client.

You create a hud.ini file that looks something like this

[General]

NodHouseRed=255

NodHouseGreen=0

NodHouseBlue=0

GDIHouseRed=255

GDIHouseGreen=204

GDIHouseBlue=0

PrivateMessageRed=0

PrivateMessageGreen=0

PrivateMessageBlue=255

PublicMessageRed=255

PublicMessageGreen=255

PublicMessageBlue=255

Also, hud.ini now contains features to totally customize the HUD.

Any time you are setting a screen position (e.g. HealthXPos), if you pass a negative number, it will move that many units in from the bottom right of the screen, otherwise it moves from the top left of the screen)

This is so you can build HUDs with items in bottom and left corners whilst remaining independant of screen resolution.

Unless specified otherwise, all entries go in the [General] section of hud.ini

Also, any time you specify a texture, always use .tga on the end even if the texture is a dds file.

Where it specifies a font number from stylemgr.ini, 0 is FONT\_TITLE and so on. Adding new fonts is not possible.

### ### Defining Colors

Firstly, you can define custom colors that will be used later on in hud.ini

You set ColorCount to specify how many colors to add.

Then you create sections labeled [Color1] and so on on up. Each section has entries Red, Green and Blue to specify the color (values go from 0 to 255)

In all the entries below, anytime a color is mentioned, it is one of these colors specified here.

Color zero is the default color and is black.

### ### Weapon HUD Parts

You can define customization for the number that shows the current bullets in your gun

Set BulletEnabled=true to turn it on (and turn the default westwood logic off)

Set BulletVisible=false to completely hide the number otherwise it will be drawn

Set BulletXPos and BulletYPos to specify where on the screen to draw the number.

Set BulletFont to a texture name (i.e. a texture similar to FONT12x16.TGA) to specify the font to use.

Set BulletColor to a color index to specify the color to use.

You can define customization for the number that shows the current bullets in your "backpack"

Set ClipEnabled=true to turn it on (and turn the default westwood logic off)

Set ClipVisible=false to completely hide the number otherwise it will be drawn

Set ClipXPos and ClipYPos to specify where on the screen to draw the number.

Set ClipFont to a texture name (i.e. a texture similar to FONT12x16.TGA) to specify the font to use.

Set ClipColor to a color index to specify the color to use.

You can define customization for the weapon name.

Set WeaponEnabled=true to turn it on (and turn the default westwood logic off)

Set WeaponVisible=false to completely hide the name otherwise it will be drawn

Set WeaponVisibleNonVehicle=false to hide the name whilst not in a vehicle

Set WeaponXPos and WeaponYPos to specify where on the screen to draw the name.

Set WeaponFont to a font number from stylemgr.ini  
Set WeaponColor to a color index to specify the color to use.

You can define customization for the weapon image.

Set WeaponImageEnabled=true to turn it on (and turn the default westwood logic off)

Set WeaponImageVisible=false to completely hide the image otherwise it will be drawn

Set WeaponImageVisibleNonVehicle=false to hide the image whilst not in a vehicle (i.e. you see the steering wheel, gun and seat icons but not the weapon icon)

Set WeaponImageXPos and WeaponImageYPos to specify where on the screen to draw the name.

Set WeaponImageColor to a color index to specify the color to use.

Set WeaponImageVehicleColor to a color index to specify the color to use when inside a vehicle.

### ### Hiding Things

=>Soldier Names:

You can hide the names of enemy soldiers.

Set HideEnemySoldiers=true to enable this feature

Then, set HideExceptionCount to define the count of how many exceptions (exceptions are for presets like spies etc that you want to keep visible)

Set HideException0 and so on to the preset IDs of the presets you want to hide

=>Old HUD-Parts:

Set HideWeaponBox=true to hide the background piece that is underneath the weapon information

Set HideInfoBox to hide the background piece that is over the other side (this covers everything except the radar that is not text including the health and shield bars)

### ### Defining Textures (for HUD Parts)

You can define arbitrary textures to be drawn on the screen. (this is for the general parts of the HUD)

Set TextureCount to the count of how many textures you want

Create a section e.g. [Texture0] for each texture

Then, under that section, set TextureName to the texture name.

Set QuadCount to the count of how many rectangles to draw with this texture

Set Quad0Color (and on up) to the color for that rectangle

Set Quad0XPos (and on up) to the X screen position for that rectangle

Set Quad0YPos (and on up) to the Y screen position for that rectangle

Quad0Top, Quad0Left, Quad0Bottom & Quad0Right (and on up) define a rectangle within the texture which is what is drawn at the x,y screen position.

### ### Health & Shield Numbers

You can define customization for the number that shows your current health.  
Set HealthEnabled=true to turn it on (and turn the default westwood logic off)  
Set HealthVisible=false to completely hide the number otherwise it will be drawn  
Set HealthXPos and HealthYPos to specify where on the screen to draw the number.  
Set HealthXOffset and HealthYOffset to specify the health offset (basically, this number is multiplied by the current % health the player has and added to the health position when drawing)  
Set HealthFont to a texture name (i.e. a texture similar to FONT12x16.TGA) to specify the font to use.  
Set HealthColor to a color index to specify the color to use.  
There is also a way (which overrides HealthColor) to set colors depending on how much health you have)  
HealthColorCount specifies how many color entries there are.  
Then you create sections like [HealthColor0] etc to specify the colors.  
Each section has keywords Color which is the color index to use and Value which is the percentage of health to start drawing at.  
The sections must be organized so that the smallest value is section 0 and so on on up.

You can define customization for the number that shows your current shield.  
Set ShieldEnabled=true to turn it on (and turn the default westwood logic off)  
Set ShieldVisible=false to completely hide the number otherwise it will be drawn  
Set ShieldXPos and ShieldYPos to specify where on the screen to draw the number.  
Set ShieldXOffset and ShieldYOffset to specify the shield offset (basically, this number is multiplied by the current % shield the player has and added to the shield position when drawing)  
Set ShieldFont to a texture name (i.e. a texture similar to FONT12x16.TGA) to specify the font to use.  
Set ShieldColor to a color index to specify the color to use.  
There is also a way (which overrides ShieldColor) to set colors depending on how much shield you have)  
ShieldColorCount specifies how many color entries there are.  
Then you create sections like [ShieldColor0] etc to specify the colors.  
Each section has keywords Color which is the color index to use and Value which is the percentage of shield to start drawing at.  
The sections must be organized so that the smallest value is section 0 and so on on up.

### ### Health Bar

You can customize the health bar.  
Set HealthBarEnabled=true to turn it on (and turn the default westwood logic off)  
Set HealthBarVisible=false to completely hide the health bar otherwise it will be drawn  
Set HealthBarEmptyVisible=false to hide the empty part of the health bar otherwise it will be drawn  
Set HealthBarColor to define the color index to use for the health bar  
Set HealthBarEmptyColor to define the color index to use for empty health bar  
There is also a way (which overrides HealthBarColor) to set colors depending on how much health you have)  
HealthBarColorCount specifies how many color entries there are.  
Then you create sections like [HealthBarColor0] etc to specify the colors.

Each section has keywords Color which is the color index to use and Value which is the percentage of health to start drawing at.  
The sections must be organized so that the smallest value is section 0 and so on on up.  
Set HealthBarTexture to define the texture to use for the health bar  
Set HealthBarXPos and HealthBarYPos to define the position on the screen of the health bar  
HealthBarTop, HealthBarLeft, HealthBarBottom & HealthBarRight define a rectangle within the texture for the health bar  
HealthBarEmptyTop & HealthBarEmptyLeft define the position of the empty health bar on the texture. The size is the same as the full health bar (i.e. when the health is not full to that spot)  
Set HealthBarStyle=0 to enable a bar similar to the renegade health bar  
Set HealthBarStyle=1 to enable a bar similar to the renegade shield strength bar  
Set HealthBarDirection to determine which direction to draw for style 2 (1 is the way renegade draws it, 0 is the opposite direction)  
Set HealthBarOffset to determine the offset to draw the icons at for style 2  
Set HealthBarLength to set the length for the entire health bar for style 2  
When the style is style 2, the HealthBarTop etc keywords define the icon that is to be used (e.g. like the shield in renegade)  
The x and y position determines the position of the bar  
The length determines the horizontal size and the height defined by the HealthBarTop etc keywords determine the vertical size

### ### Shield Bar

You can customize the shield bar.  
Set ShieldBarEnabled=true to turn it on (and turn the default westwood logic off)  
Set ShieldBarVisible=false to completely hide the shield bar otherwise it will be drawn  
Set ShieldBarEmptyVisible=false to hide the empty part of the health bar otherwise it will be drawn  
Set ShieldBarColor to define the color index to use for the shield bar  
Set ShieldBarEmptyColor to define the color index to use for empty shield bar  
There is also a way (which overrides ShieldBarColor) to set colors depending on how much shield you have)  
ShieldBarColorCount specifies how many color entries there are.  
Then you create sections like [ShieldBarColor0] etc to specify the colors.  
Each section has keywords Color which is the color index to use and Value which is the percentage of shield to start drawing at.  
The sections must be organized so that the smallest value is section 0 and so on on up.  
Set ShieldBarTexture to define the texture to use for the shield bar  
Set ShieldBarXPos and ShieldBarYPos to define the position on the screen of the shield bar  
ShieldBarTop, ShieldBarLeft, ShieldBarBottom & ShieldBarRight define a rectangle within the texture for the shield bar  
ShieldBarEmptyTop & ShieldBarEmptyLeft define the position of the empty shield bar on the texture. The size is the same as the full shield bar (i.e. when the shield is not full to that spot)  
Set ShieldBarStyle=0 to enable a bar similar to the renegade health bar  
Set ShieldBarStyle=1 to enable a bar similar to the renegade shield strength bar  
Set ShieldBarDirection to determine which direction to draw for style 2 (1 is the way renegade draws it, 0 is the opposite direction)  
Set ShieldBarOffset to determine the offset to draw the icons at for style 2

Set `ShieldBarLength` to set the length for the entire shield bar for style 2

When the style is style 2, the `ShieldBarTop` etc keywords define the icon that is to be used (e.g. like the shield in renegade)

The x and y position determines the position of the bar

The length determines the horizontal size and the height defined by the `ShieldBarTop` etc keywords determine the vertical size

### ### Health & Shield Icons

You can also display an icon for the health (like the + symbol in normal renegade)

Set `HealthIconEnabled=true` to turn it on

Set `HealthIconColor` to define the color index to use for the health icon

There is also a way (which overrides `HealthIconColor`) to set colors depending on how much health you have)

`HealthIconColorCount` specifies how many color entries there are.

Then you create sections like `[HealthIconColor0]` etc to specify the colors.

Each section has keywords `Color` which is the color index to use and `Value` which is the percentage of health to start drawing at.

The sections must be organized so that the smallest value is section 0 and so on on up.

Set `HealthIconTexture` to the texture to use for the health icon

Set `HealthIconXPosition` and `HealthIconYPosition` to the position to draw the health icon

`HealthIconTop`, `HealthIconLeft`, `HealthIconBottom` and `HealthIconRight` define the rectangle on the texture to use for the icon

You can also display an icon for the shield (like the + symbol in normal renegade)

Set `ShieldIconEnabled=true` to turn it on

Set `ShieldIconColor` to define the color index to use for the shield icon

There is also a way (which overrides `ShieldIconColor`) to set colors depending on how much shield you have)

`ShieldIconColorCount` specifies how many color entries there are.

Then you create sections like `[ShieldIconColor0]` etc to specify the colors.

Each section has keywords `Color` which is the color index to use and `Value` which is the percentage of shield to start drawing at.

The sections must be organized so that the smallest value is section 0 and so on on up.

Set `ShieldIconTexture` to the texture to use for the shield icon

Set `ShieldIconXPosition` and `ShieldIconYPosition` to the position to draw the shield icon

`ShieldIconTop`, `ShieldIconLeft`, `ShieldIconBottom` and `ShieldIconRight` define the rectangle on the texture to use for the icon

Unlike the renegade code, you cant implement it so that the health/shield icon will flash when you have low health/shield

### ### Compass

You can also customize the compass (i.e. the N,E,S,W etc text)

Set EnableCompass=true to turn it on (and turn the default westwood logic off)  
Set CompassVisible=false to completely hide the compass otherwise it will be drawn  
Set CompassFont to a font number from stylemgr.ini  
Set CompassColor to the color index to use when drawing the compass  
Set CompassXPos and CompassYPos to define where to draw the compass

### ### Credits

You can also customize the credits text.

Set EnableCredits=true to turn it on  
Set CreditsXPos and CreditsYPos to define where to draw the credits display  
Set CreditsFont to a font number from stylemgr.ini  
Set CreditsColor to the color index to use when drawing the credits  
Set CreditsStringID to a string ID from strings.tdb. This string should use %d at the spot where you want the credits number to go.  
For example, "Current Credits is %d now" will replace the %d with the current credits

### ### Time

You can also customize the time remaining text (it will not be drawn if the level has unlimited time)

Set EnableTime=true to turn it on  
Set TimeXPos and TimeYPos to define where to draw the time display  
Set TimeFont to a font number from stylemgr.ini  
Set TimeColor to the color index to use when drawing the time  
Set TimeStringID to a string ID from strings.tdb. This string should use %s at the spot where you want the time to go.  
For example, "There is %s remaining" will replace the %s with the current time formatted as hours:minutes:seconds just like the default display)

### ### Custom Radar

You can also customize the radar.

Set EnableRadar=true to turn it on and turn the default westwood logic off.  
Set RadarRotate=true to make the radar rotate so that "up" is always the direction you are facing.  
Set RadarRotate=false to make up always = north. (this is needed later on when I implement the scrolling map logic)  
Set DrawStar=true to draw you (i.e. the current player) on the radar  
Set DrawCompassLine=true to draw a line in the direction the player is facing (this is disabled if RadarRotate is set to true)  
Set CompassLineColor to the color to use for the compass line  
Set CompassLineWidth to the width for the compass line  
Set RadarVisible=false to turn off the radar completely  
Set RadarSize to the screen size in pixels to use for the radar (its always going to be a circle)

Set RadarWorldSize to the size in the game world that is to correspond to the radius of the radar circle  
Set BackgroundColor to the color to use when drawing the background  
Set BackgroundTexture to the texture to use for the background  
Set BlipTexture to the texture to use for the radar blips  
Set BackgroundTop and BackgroundLeft to the top left position on the background texture to draw from.  
Set RadarX and RadarY to define the top left position of the square where the radar is to be drawn  
Set ScrollingRadarMap=true to enable the scrolling map background feature (where you see a top-down view of the map under the radar blips which scrolls based on the location of the player)  
  
Set RadarBlipnTop and RadarBlipnLeft (starting from RadarBlip1Top/RadarBlip1Left) to cover the UV positions for the radar blips

Blips should go from 1 to 5  
The blips are always 8 pixels in size

Set RadarBlipColor0 and so on up to RadarBlipColor7 to define the blip colors  
Blip zero is blank  
Blip 1 is for humans (by default its a circle)  
Blip 2 is for vehicles (by default its a triangle)  
Blip 3 is for stationary objects (by default its a square)  
Blip 4 is for objectives (by default its a star)  
Blip 5 is for the bracket that is drawn when you are targeting an object

The blip colors are as follows:

Color 0 is red (Nod color)  
Color 1 is gold (GDI color)  
Color 2 is white  
Color 3 is dark green  
Color 4 is blue  
Color 5 is green (and is used when the bracket is drawn)  
Color 6 is light blue  
Color 7 is purple

Right now, this code is not perfect, I plan to extend it later (for example, to make it draw objectives and radar markers)

How the scrolling map feature works:

If you turn it on with ScrollingRadarMap=true, you then need to set the settings for each map with something like JFW\_Change\_Radar\_Map.

Basicly, it draws the radar background the same as the normal radar code with the exception of the texture coordinates for the background texture.

By default, the center of the map texture is assumed to match with 0,0 in the game world. Use the offsetx and offsety values to specify where on the texture (relative to the center) 0,0 in the game world is.

The scale field codes for how many pixels on the texture 1 unit in the game world is equal to. Just play around with the offset and scale asnd see what looks right for your map.

As of 3.0, you can create an ini file called mapname.ini (e.g. C&C\_Islands.ini) which contains the following tags in the [General] section

ScrollingMapTexture

ScrollingMapOffsetX

ScrollingMapOffsetY

ScrollingMapScale

These correspond to the parameters that get passed to Change\_Radar\_Map

This ini file goes on the client. If the map/server makes a call to Change\_Radar\_Map, it will override anything set by the ini file.

---

Subject: Re: problem with hud.ini

Posted by [YazooGang](#) on Fri, 12 Dec 2008 11:32:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

awesome, thanks. i will see later if this works.

---

Subject: Re: problem with hud.ini

Posted by [YazooGang](#) on Fri, 12 Dec 2008 22:09:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

unfortunatly, it didnt work.

here is what i have in my hud.ini :

[General]

TextureCount=1

EnableCredits=true

CreditsXPos=160

CreditsYPos=785

CreditsFont=2

CreditsStringID=12678

HideBottomText=true

EnableTime=true

TimeXPos=5

TimeYPos=845

TimeFont=2

TimeColor=

TimeStringID=12679

[Texture0]

TextureName=weapon\_hud1.tga

Quad0XPos=1075

Quad0YPos=777  
QuadCount=1  
Quad0Color=1  
Quad0Top=227  
Quad0Left=230  
Quad0Bottom=232  
Quad0Right=232

[Color1]  
Red=9  
Green=89  
Blue=0


and this is my Texture0:

also the dds file is uploaded too, check it

## File Attachments

---

1) [weapon\\_hud1 copy.jpg](#), downloaded 693 times



2) [weapon\\_hud1.dds](#), downloaded 172 times

---

---

Subject: Re: problem with hud.ini  
Posted by [DL60](#) on Fri, 12 Dec 2008 22:41:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

-."

Quad0Bottom=280  
Quad0Right=280

---

---

Subject: Re: problem with hud.ini  
Posted by [YazooGang](#) on Fri, 12 Dec 2008 23:32:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

unfortunatly didnt work

---

---

Subject: Re: problem with hud.ini  
Posted by [DL60](#) on Sat, 13 Dec 2008 08:13:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Add this:

```
ColorCount=1
```

You also have to define the amount of colors you use. I added and testet it and it worked here.

Quote:

```
[General]
```

```
TextureCount=1  
EnableCredits=true  
CreditsXPos=160  
CreditsYPos=785  
CreditsFont=2  
CreditsStringID=12678  
HideBottomText=true  
ColorCount=1
```

```
EnableTime=true  
TimeXPos=5  
TimeYPos=845  
TimeFont=2  
TimeColor=  
TimeStringID=12679
```

```
[Texture0]
```

```
TextureName=weapon_hud1.tga  
Quad0XPos=200  
Quad0YPos=200  
QuadCount=1  
Quad0Color=1  
Quad0Top=227  
Quad0Left=230  
Quad0Bottom=280  
Quad0Right=280
```

```
[Color1]
```

```
Red=9  
Green=89  
Blue=0
```

If it still doesn't work you have no cripts 3.4.4. installed s XD

---

---

Subject: Re: problem with hud.ini  
Posted by [YazooGang](#) on Sat, 13 Dec 2008 16:37:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

i reinstalled the scripts, still doesnt work  
did you try it and see if it worked?

---

Subject: Re: problem with hud.ini  
Posted by [DL60](#) on Sat, 13 Dec 2008 17:51:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quote:I added and testet it and it worked here.

---

Subject: Re: problem with hud.ini  
Posted by [YazooGang](#) on Sat, 13 Dec 2008 18:09:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

lol, my laptops monitor is kinda crappy, i tried it on my desktop and i can actualy see a box, but its like really transparent, i will fix it soon.  
thanks alot man,

---